


ProFruit Machinery™ is a family-based company that started with a father and son and their shared desire to offer more fruit, berry and vegetable processing possibilities for both leaders of their market and businesses that aspire to become such one day.

For almost 10 years we have been working with various fruit, berry and vegetable processing equipment in our juice production-based company “Savos sultys”. This way we have tried and tested the equipment from almost all producers in the market including it’s leaders. We have gained an extensive experience working with all the equipment parts of the processing lines, we constantly communicate with other producers and users of this equipment and for these reasons we truly understand what the effective work in fruit, berry and vegetable processing field requires.

Our core values are reliability, the highest quality and comprehensive assistance to the client in all matters. These values are also supported by the fact that our team consists of true professionals who have been working in a food processing equipment industry for more than 20 years and are capable of ensuring all the best engineering solutions.



COMMERCIAL OFFER FOR AGITATOR FOR TANK

Description	Capacity	Quantity	Price EUR.	Pack. Cost Eur
Mixer for stainless steel tanks with DN50 connection without frequency inverter		1	1 300.00	80.00
Mixer for stainless steel tanks with DN50 connection with speed adjustment		1	2 350.00	80.00

1. Ex-works Lithuania.
2. Production time: 8-10 weeks.
3. Country of origin: EU.
4. Made from stainless steel materials.
5. Complies with EU standard CE certificates.
6. Payment terms – 50% with the order, 50% before loading the equipment.
7. Equipment is covered by 36-month warranty. Warranty period for bearings, engines and other bought parts are 12 months.

Tank with agitator is the perfect choice for containing and mixing various liquid products (including viscous products), such as different juice, puree, sauce, broth, etc. Tank with agitator is a great choice especially for mixing various juices, e.g. apple, carrot, berry, etc.



Mixer's connection fitting (garolla DIN 11851, TRICLOVER, etc.) and mechanical seal (standard steel/graphite) can be made by a customer request according to necessary specifications. All machine's parts in contact to the product are made from stainless steel AISI 304.



- Power: 0.75 kW
- Rod length: 650 mm
- Speed 1400 RPM
- Propeller width: 155 mm
- Weight 20 kg
- Maximum tank capacity: 200 hl
- Comes with anti-dust cover which protects the liquid inside.
- Stainless steel tanks are easy to clean after using.