

ProFruit Machinery™ is a family-based company that started with a father and son and their shared desire to offer more fruit, berry and vegetable processing possibilities for both leaders of their market and businesses that aspire to become such one day.

For almost 10 years we have been working with various fruit, berry and vegetable processing equipment in our juice production-based company “Savos sultys”. This way we have tried and tested the equipment from almost all producers in the market including it’s leaders. We have gained an extensive experience working with all the equipment parts of the processing lines, we constantly communicate with other producers and users of this equipment and for these reasons we truly understand what the effective work in fruit, berry and vegetable processing field requires.

Our core values are reliability, the highest quality and comprehensive assistance to the client in all matters. These values are also supported by the fact that our team consists of true professionals who have been working in a food processing equipment industry for more than 20 years and are capable of ensuring all the best engineering solutions.



COMMERCIAL OFFER FOR STAINLESS STEEL ROTATIONAL FILTER

Description	Capacity	Quantity	Price EUR.	Pack. Cost Eur
Stainless steel rotational filter with pump and 0,3 mm sieve	1000 l/h	1	3 870.00	80.00
TOTAL:			3 950.00	

Optional	Price EUR.
Different el. supply	300.00

Spare parts	Price EUR.
Spare pump for rotational filter	400.00

1. Ex-works Lithuania.
2. Production time: 8-10 weeks.
3. Country of origin: EU.
4. Made from stainless steel materials.
5. Complies with EU standard CE certificates.
6. Payment terms – 50% with the order, 50% before loading the equipment.
7. Equipment is covered by 36-month warranty. Warranty period for bearings, engines and other bought parts are 12 months.



Rotational juice filter is a universal and simple juice filtration mechanism for separating the excess of fruit pulp and sediments in juice.

Machine works well with various fruit, berry and vegetable juice and pulp. During the work process, the juice enters the machine through the spinning filtration sieve. This way excess pulp and sediments stay in the sieve and filtered juice enters the juice collection tank. The sieve spins continuously so juice can flow without interruptions.



- The conical form of the filter facilitates the work process, so the pulp is collected and removed easily.
- The washing of the filter is rarely needed because of the convenient conical filter form. That is why washing can be done once per day.
- Rotational juice filter has an integrated juice collection tank which collects the juice.
- Juice collection tank has an automatic pump and liquid level control. When the tank is full, the pump automatically turns on and transfers the juice for further processing.
 - The machine is made entirely from stainless steel.
 - Rotational juice filter is mounted on wheels.
 - The machine is especially simple to use and easy to maintain.

Engine Kw.	Power	Loading height	Dimensions	Capacity	Weight
0,40	Single phase	410 mm	700x700x850	1000 l/h	40 kg

