


ProFruit Machinery™ is a family-based company that started with a father and son and their shared desire to offer more fruit, berry and vegetable processing possibilities for both leaders of their market and businesses that aspire to become such one day.

For almost 10 years we have been working with various fruit, berry and vegetable processing equipment in our juice production-based company “Savos sultys”. This way we have tried and tested the equipment from almost all producers in the market including it’s leaders. We have gained an extensive experience working with all the equipment parts of the processing lines, we constantly communicate with other producers and users of this equipment and for these reasons we truly understand what the effective work in fruit, berry and vegetable processing field requires.

Our core values are reliability, the highest quality and comprehensive assistance to the client in all matters. These values are also supported by the fact that our team consists of true professionals who have been working in a food processing equipment industry for more than 20 years and are capable of ensuring all the best engineering solutions.



COMMERCIAL OFFER FOR JUICE HOMOGENIZER

Description	Capacity	Quantity	Price EUR.	Pack. Cost Eur
Juice homogenizer	1000 l/h	1	41 000.00	80.00
TOTAL:			41 080.00	

Optional	Price EUR.
Different el. supply	300.00

1. Ex-works Lithuania.
2. Production time: 8-10 weeks.
3. Country of origin: EU.
4. Made from stainless steel materials.
5. Complies with EU standard CE certificates.
6. Payment terms – 50% with the order, 50% before loading the equipment.
7. Equipment is covered by 36-month warranty. Warranty period for bearings, engines and other bought parts are 12 months.

Homogenization process involves forcing the liquid through small openings under high pressure, thus breaking up various sediments into smaller pieces. This way **JUICE HOMOGENIZER** produces juice which does not settle down in layers after some time – it preserves unified liquid.
Capacity: 1000-3000 l/h (depends on the pressure that is used on the liquid).



- Juice homogenizer has a direct transmission system with trapezoidal belts and pulleys.
- Hydro-pneumatic adjustment of the pressure ensures the stability of the machine.
- Machine has a digital pressure transmitter with ceramic membrane for a more convenient usage.
- The machine has an overpressure valve as well as flow switch alarm.
- Central control box and control panel ensures an easy and convenient work.
- Machine has an easy opening panel.

ITEM	DESCRIPTION	CONNECTION
1	INLET WATER / AIR	G 1/2"
2	OUTLET WATER	G 1/2"
3	PRODUCT INLET	G 1"
4	PRODUCT OUTLET	G 1"

