

ProFruit Machinery™ is a family-based company that started with a father and son and their shared desire to offer more fruit, berry and vegetable processing possibilities for both leaders of their market and businesses that aspire to become such one day.

For almost 10 years we have been working with various fruit, berry and vegetable processing equipment in our juice production-based company “Savos sultys”. This way we have tried and tested the equipment from almost all producers in the market including it’s leaders. We have gained an extensive experience working with all the equipment parts of the processing lines, we constantly communicate with other producers and users of this equipment and for these reasons we truly understand what the effective work in fruit, berry and vegetable processing field requires.

Our core values are reliability, the highest quality and comprehensive assistance to the client in all matters. These values are also supported by the fact that our team consists of true professionals who have been working in a food processing equipment industry for more than 20 years and are capable of ensuring all the best engineering solutions.




COMMERCIAL OFFER FOR PNEUMATIC PRESS

Description	Capacity	Quantity	Price EUR.	Pack. Cost Eur
Pneumatic press 650 L with PLC Control, loading hopper and side product supply	650 l	1	15 180.00	80.00

Optional	Price Eur
Stainless steel tank with pump for juice collection and transfer	1 600.00

1. Ex-works Lithuania.
2. Production time: 8-10 weeks.
3. Country of origin: EU.
4. Made from stainless steel materials.
5. Complies with EU standard CE certificates.
6. Payment terms – 50% with the order, 50% before loading the equipment.
7. Equipment is covered by 36-month warranty. Warranty period for bearings, engines and other bought parts are 12 months.



- Closed type drum with drenages inside (prepare for demontation)
- Control panel with PBC push button control
- Connection for house compressor
- Blowers for pressure and vacuum
- Engine with reductor 0,75 Kw
- General connection 3 phase 50Hz 400V
- Max pressure 1,5 bar
- Below the press juice collector with inox ball valve DN40
- All material are AISI304
- External surface are SBR scotch brite
- Total weight 370 kg
- Whole fruit capacity 420-460 kg
- mashed fruit capacity 1100 1400 kg

